

Project _____ Item No. ____

Premium Meal Delivery Carts

MDC Series

Designed to be more than just quiet, our MDC Series Premium Meal Delivery Carts feature sound-dampening double-panel doors, Performa balloon casters, vibration-reducing material at door bumpers and tray guide ladder attachment points.

Standard premium features include a molded polymer top with built-in 4-sided top rail, full-perimeter bumper system, lift style floor drain, and a lockable sliding door latch, all at no additional cost

Available in a variety of configurations to meet your needs, our quiet MDC series carts offer back-of-the-house durability and front-of-the-house styling!



Elevate Your Beverage Service with our Beverage Caddy!



Standard Features

Design/Construction

- **NEW!:** Integrated full-length door handle design for enhanced ergonomics.
- **NEW!:** Lockable sliding door latch prevents unauthorized access to patient meals (1 per bay/door).
- **NEW!:** Flag style door hinges for improved door and hinge field serviceability.
- Side-load (2 trays per shelf) and end-load (1 tray per shelf) configuration available.
- Cart capacities range from 10 to 36 trays.
- Non-marking full-perimeter polymer bumper system.
- Sleek molded polymer top with built-in 4-sided top rail that doubles as a workspace.
- Louvered side panels facilitate internal heat dissipation.

Quiet Transport

- Vibration-reducing material at door bumpers and tray guide ladder attachment points.
- Double-panel doors with internal sound-dampening material, 270° swing, and magnetic latching when fully opened or closed (180° middle door swing on 3-door models).
- Greaseable, non-marking 6" (15cm) Performa balloon casters (2 locking swivel/2 non-locking rigid) for smooth travel over a variety of floor surfaces. 8" (20cm) casters standard on MDC32S and MDC36S models).


Easy to Use

- Adjustable tray guides with 2"(5cm) wide slides accommodate both 15" (38cm) x 20" (51cm) and 14" (36cm) x 18" (46cm) size trays and are fully removable for easy cleaning.
- Sloped floor with lift style drain (1 per bay/door).
- Full-width stainless steel push handle for maximum control.
- Wheel-ahead 1" (3cm) caster offset for easy elevator entry/exit (2 and 3 door models only).
- Stainless-steel construction with skid-resistant base reduces movement.
- Shown with optional drip trays and condiment bins with lids and dividers.
- Not recommended for cart models taller than 50".
- Sold separately. See website for additional details.

Premium Meal Delivery Carts

MDC Series
Side-Load Models







Side-Load MDC Cart Models							Available Options (must be specified when ordering)			
Base Model	Tray Capacity	Doors (Bays)	Tray Spacing	Length	Width (Door Clearance)	Height	8" Performa Casters ⁴	6-Wheel Config ²	Passthrough Door ¹	Tow Hitch ⁵
MDC10S	10	1	4.5" (11 cm)	38.0" (97 cm)	28.8" (73 cm)	42.5" (108 cm)		n/a		
MDC10S	10	1	5.5" (14 cm)	38.0" (97 cm)	28.8" (73 cm)	42.5" (108 cm)		n/a		
MDC12S	12	1	4.5" (11 cm)	38.0" (97 cm)	28.8" (73 cm)	42.5" (108 cm)		n/a		
MDC16S	16	1	4.5" (11 cm)	38.0" (97 cm)	28.8" (73 cm)	49.0" (125 cm)		n/a		
MDC20S	20	1	4.5" (11 cm)	38.0" (97 cm)	28.8" (73 cm)	58.0" (147 cm)		n/a	n/a	
MDC24S	24	2	4.5" (11 cm)	52.7" (132 cm)	38.0" (97 cm)	42.5" (108 cm)		Standard		
MDC28S	28	2	4.5" (11 cm)	52.7" (132 cm)	38.0" (97 cm)	44.5" (113 cm)		Standard		
MDC32S ³	32	2	4.5" (11 cm)	52.7" (132 cm)	38.0" (97 cm)	51.0" (130 cm)	Standard	Standard	n/a	6
MDC36S ³	36	2	4.5" (11 cm)	52.7" (132 cm)	38.0" (97 cm)	55.5" (141cm)	Standard	Standard	n/a	6

¹ Push handles on pass through carts are mounted higher for door clearance.

² 6-wheel configuration standard to ensure optimum maneuverability.

^{3 8&}quot; (20.3 cm) casters with 6-wheel configuration standard to ensure ease of use and optimum maneuverability. Standard on MDC32S and MDC36S.

⁴ 8" (20.3 cm) caster options increase overall cart height by 2" (5.1 cm).


⁵ Tow a maximum of two carts. Indoor use only.

⁶ Towing larger capacity carts may not be recommended depending on application.

Premium Meal Delivery Carts

MDC Series **End-Load Models**







	Available Options (must be specified when ordering)								
Base Model	Tray Capacity	Doors (Bays)	Tray Spacing	Length	Width (Door Clearance)	Height	8" Performa Casters ⁴	6-Wheel Config ²	Tow Hitch ⁵
MDC10E	10	2	5.5" (14 cm)	42.5" (108 cm)	28.0" (71 cm)	44.5" (113 cm)		Standard	
MDC14E	14	2	4.5" (11 cm)	42.5" (108 cm)	28.0" (71 cm)	44.5" (113 cm)		Standard	
MDC18E	18	2	4.5" (11 cm)	42.5" (108 cm)	28.0" (71 cm)	53.5" (136 cm)		Standard	
MDC24E	24	3	4.5" (11 cm)	61.5" (156 cm)	28.0" (71 cm)	49.0" (125 cm)		Standard	
MDC27E	27	3	4.5" (11 cm)	61.5"" (156 cm)	28.0" (71 cm)	53.5" (136 cm)		Standard	

² 6-wheel configuration standard to ensure optimum maneuverability.

⁵ Tow a maximum of two carts. Indoor use only.



Back Hitch



Front Tow Bar

MDC Tow Hitch Option Available!

- Telescoping tow-bar designed to stow away when not in use.
- Foot Pedal deployment allows easy access without having to bend over.
- Tow up to two carts safely indoors.



FOR SERVICE AND WARRANTY INFORMATION

MDC Carts:

1 YEAR, Parts and Labor



Visit aladdintemprite.com/patents for patent information.

250 E. Main St. | Hendersonville, TN 37075 | Customer Service: 800.888.8018 | Tech Service: 800.888.5426 | Fax: 888.812.9956 | aladdintemprite.com ©2023 Aladdin Temp-Rite.® All rights reserved. Note: Specifications are subject to change without notice.





^{4 8&}quot; (20.32 cm) caster options increase overall cart height by 2" (5.08 cm).