



## Air Curtain Refrigerator, High Performance, Stainless Steel Door, Right Side Hinge with Locking Plug - ACR10SR-LP

### Product Images



Model: ACR10SL shown

### Description

The Aladdin Temp-Rite high-performance air curtain refrigerators are specially designed for use during tray assembly, providing convenient access to pre-plated and pre-packaged food products. Multi-directional air flow creates a "curtain" of cold air that allows the door to remain open during mealtime tray assembly. Airflow is directed across the cabinet opening to keep hot air out and cold air in. This unit is designed to hold pre-chilled cold food at or below 41°F for 90 minutes with the door open. Standard touchscreen controller with digital display allows easy visibility of parameters, defrost cycles, and temperature. Connect the air curtain to your phone via Bluetooth for additional parameter controls and air temperature data exporting.

#### NEW FEATURES:

- Easy-to-read exterior digital thermometer

- **User-friendly interface and touchscreen controls**
- **Downloadable app connects to the controller via Bluetooth for additional parameter control**
- **Exportable air temperature data for HACCP reporting**

#### STANDARD FEATURES:

- Durable stainless-steel exterior, interior, and door
- Holds up to 10 standard 18" x 26" sheet pans
- Multi-directional airflow technology
- Pre-chill cycle extends cold food temperature performance
- Field reversible door accommodates equipment layout changes
- 2-position tray slides with flat and slanted operation positions
- Full 270° door swing with magnetic catch for open position
- Flush recessed side grip handles for easy positioning
- Automatic or manual defrost cycles
- Automatic condensate evaporator
- 5" Non-marking casters, four (4) swivel casters, 2 with brakes
- Removable panels for easy access cleaning and servicing
- Bottom-mounted compressor for stability
- 10' cord and plug assembly

# Additional Information

Promo Text	New
Model #	ACR10SR-LP
Available Options	Locking Plug
Capacity Type	Pans
Tray Spacing	4.25" Tray Spacing
Caster Size	5"
Caster Type	Non-Marking
Electrical	120V, Single Phase, 60HZ
Agency Listing	ETL, ETL Sanitation
Warranty	1-yr parts, 1-yr labor, 5-yrs compressor (parts only)
Technical Note	The addition of options may change the electrical requirements and/or equipment dimensions. Please refer to spec sheet for additional information.
Country of Manufacture	United States
Spec Sheet	<a href="#">View</a>
GTIN	00849502015293