



Premium Meal Delivery Cart, 28 Tray Capacity, Side Load, Double Door, Six 6" Balloon Casters, 4.5" Spacing - MDC28S6X6-45

Product Images



Description

Introducing the Aladdin Temp-Rite MDC Series Premium Meal Delivery Carts, the epitome of excellence in hospital food service. These carts are built with top-tier features that ensure the safe and efficient transportation of patient meal trays.

The MDC Series carts boast a range of new standard features, including an integrated full-length door handle design for enhanced ergonomics, a lockable sliding door latch for secure transport, and flag-style door hinges for improved serviceability.

NEW STANDARD FEATURES:

- Integrated full-length door handle design for enhanced ergonomics.
- Lockable sliding door latch that ensures secure transport and prevents unauthorized access to patient meals (1 per bay/door)
- Flag-style door hinges for improved door and hinge field serviceability
- Magnetic door offers unique branding and promotional opportunities

STANDARD FEATURES:

- Constructed of durable, sanitary stainless steel to provide years of trouble-free meal delivery service.
- Designed to accommodate 2 trays per shelf, sideloaded.
- 28-tray capacity with 4.5" (11 cm) Tray Spacing

- Adjustable tray guides with 2" (5 cm) wide slides accommodate both 15" x 20" (38 cm x 51 cm) or 14" x 18" (36 cm x 46 cm) size trays.
- Molded polymer top with a built-in 4-sided top rail for transporting items to patient floors that doubles as a workspace.
- Non-marking full-perimeter polymer bumper system.
- Sound-dampening material on tray slide ladders and inside doors to reduce noise and vibration.
- 270° door swing with positive latching in open or closed positions
- Sloped floor and drain with pop-up plug to facilitate cleaning.
- Tray guides are fully removable for easy cleaning.
- Six 6" diameter balloon casters with grease fittings for towing carpeted floors and bumpy floor applications (4 swivels with brakes and 2 fixed)
- Casters offset 1" for a "wheel ahead" configuration to permit easy elevator entry or exit (2 and 3-door models only).
- Louvered side vents to dissipate heat and reduce condensation.
- Full-width stainless steel push handle for maximum control.

Additional Information

| | |
|------------------------|--|
| Promo Text | New |
| Model # | MDC28S6X6-45 |
| Equipment Type | MD Cart |
| Available Options | 8" Casters, Pass-Through Door, Tow Hitch, See Spec Sheet for additional options |
| Capacity Type | Trays |
| Tray Spacing | 4.5" Tray Spacing |
| Caster Size | 6" |
| Caster Type | Balloon |
| Agency Listing | NSF |
| Warranty | 1-yr parts, 1-yr labor |
| Technical Note | The addition of options may change the electrical requirements and/or equipment dimensions. Please refer to spec sheet for additional information. |
| Country of Manufacture | United States |
| Spec Sheet | View |
| Literature | Flyer |
| GTIN | 00849502016566 |